New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2005 Burlington County Residents

1	Current	⊢ HTV/2	AIDS Category		/Adol es	escent *	Pediat Cases	ric '	•	C	Tota	al %
										_		
	AIDS-A	nv OI			#	#	#		#		74	14
	AIDS-CI	_	,	1	76	34	0		0		176	33
	HIV On	_			#	#	#		#		277	53
										-		
	Total			5	23	100	#		#		527	100
	Current	-					Adul+	/ \ A 1 *	Dodin	-ria*	Tota	- 1
2	Age *		%	2 0	ace/E	2+h			Cases			
۷.	Age	cases	°	5. K	ace/ E		Cases	> %	cases	~	cases	~
	<5	0	0	W	hite.	Not Hispanic	197	38	0	0	197	37
	5-12	#	#			Not Hispanic			#	#	265	50
	13-19	6	1		ispar	-	#		#	#	51	10
	20-29	39	7		_	'Unknown	14		0	0	14	
	30-39	116	22	_								
	40-49	223	42	Т	otal		523	100	#	#	527	100
	50+	139	26									
	Unk.	#	#									
	Total	527	100									

4. Patient	Group
------------	-------

-	Males	8	Females	%	Total	%
Men sex with men (MSM)	169	44	0	0	169	33
Injection drug user (IDU)	69	18	33	24	102	20
MSM/IDU	16	4	0	0	16	3
Heterosexual contact***	93	24	91	65	184	35
Risk not reported/other***	33	9	15	11	48	9
Total	380	100	139	100	519	100

Adult/Adolescent Modified Exposure Categories **

	Males	Pediatric %		Exposure %	Categories Total	8
Parent at risk/has AIDS/HIV Risk not reported/other****	# 0	# 0	# 0	# 0	8 0	100
Total	#	#	#	#	8	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of December 2005.
- ** 4 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Burlington County Residents

				Adult/Adolescent*			Pediatric*				Total			
1.	Disease Ca	ategory	Ca	ses (%)	Deaths (%)	Cases	(%)	Death	s (%)	Cases	(왕)	Deaths	s (%)	
	PCP Other OI w KS Alone No Disease			# (#) # (#) 17 (3) 298 (44)	# (#) # (#) 15 (88) 115 (39)			#	(#)	,	,	146 15	(82) (82) (88) (39)	
	Total			670 (100)	424 (63)	10	(100)		(60)	680 (100)	430	(63)	
2.	Age *	Cases	%	3. Race/	Eth.	Adult/Ad		Pediatr Cases		Total Cases	%			
	Under 5	7	1	White	, Not Hispanic	#	#	#	#	295	43			
	5-12	#			, Not Hispanic			8	80	318				
	13-19	#	#		nic	64	10	0	0	64	9			
	20-29	99	15	_	/Unknown	#	#	#	#	#	#			
	30-39	289	43											
	40-49	202	30	Total		670 1	L00	10	100	680	100			
	Over 49	78	11											
	Unknown	0	0											

Adult/Adolescent Modified Exposure Categories **

	_	
4.	Patient.	Group

Total

_	Males	%	Females %	Total	%
Men sex with men (MSM)	252	48	0 0	252	38
Injection drug user (IDU)	133	25	51 36	184	27
MSM/IDU	32	6	0 0	32	5
Heterosexual contact***	81	15	72 51	153	23
Risk not reported/other***	32	6	17 12	49	7
Total	530	100	140 100	670	100

		Pediatr	ic Modified	Exposure	Categories	
	Males	%	Females	용	Total	%
Parent at risk/has AIDS/HIV	#	#	#	#	8	80
Risk not reported/other***	#	#	#	#	#	#
Total	5	100	5	100	10	100

- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification at time of AIDS diagnosis.

680 100

- ** 0 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - $\label{lem:who had heterosexual contact with partner(s) whose \ \mbox{HIV infection risk is undocumented/unknown.}$
- **** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Burlington County Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	7	7	100%
1985	10	10	100%
1986	10	10	100%
1987	22	22	100%
1988	27	25	93%
1989	40	35	88%
1990	32	31	97%
1991	49	42	86%
1992	69	64	93%
1993	59	42	71%
1994	62	44	71%
1995	43	30	70%
1996	43	21	49%
1997	24	12	50%
1998	24	7	29%
1999	34	10	29%
2000	19	7	37%
2001	26	#	#
2002	27	#	#
2003	21	#	#
2004	20	0	0%
2005	12	0	0%
Total	680	430	63%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005 Burlington County Residents

					Adult/	Adl*	Pediat	ric*	Total	
1. 2	Age *	Cases	%	2. Race/Ethnicity	Cases	용	Cases	%	Cases	%
τ	Under 5	#	#	White, Not Hispanic	#	#	#	#	123	38
ļ	5-12	#	#	Black, Not Hispanic	#	#	#	#	158	49
	13-19	14	4	Hispanic	30	9	0	0	30	9
:	20-29	83	26	Other/Unknown	12	4	0	0	12	4
:	30-39	118	37							
4	40-49	79	24	Total	319	100	#	#	323	100
(Over 49	25	8							
Ţ	Unknown	0	0							
-	Total	323	100							

Patient Group	Ad	lult/Ad	olescent Modif	ied Expo	sure Catego:	ries *
	Males	%	Females	%	Total	%
Men sex with men (MSM)	108	46	0	0	108	34
Injection drug user (IDU)	43	18	26	31	69	22
MSM/IDU	8	3	0	0	8	3
Heterosexual contact***	49	21	50	60	99	31
Risk not reported/other***	28	12	7	8	35	11
Total	236	100	83	100	319	100
		Ped	iatric Modifie	d Exposu	re Categorie	es
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	#	#		#	#	#
Risk not reported/other***	0	0	0	0	0	0
TILDII 1100 Lopol 000, Odilol	ő	Ü	9	ŭ	· ·	Ü

* Classification at time of first HIV+ test.

Total

- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 0 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Burlington County Residents

				Adult/Adolescent *	Ped	Pediatric *			Total		
1.	Current HIV			Cases %	Case	s	%	Cases	%		
	AIDS-Any O	I		396 40 # # # #		- 0 # #	71 # #	406 274 323	40 27 32		
	Total			989 100	1	4	100	1003	100		
2.	Age *	Cases	%	3. Race/Eth.	Adult/A	dl* %	Pediat Cases	ric* %	To Cases	tal %	
	Under 5 5-12 13-19 20-29 30-39 40-49 Over 49	11 # 19 209 407 255 99	1 # 2 21 41 25	White, Not Hispanic Black, Not Hispanic Hispanic Other/Unknown	# # 94 15 	 # 10 2 100	# # 0 0	# # 0 0 	418 476 94 15 	42 47 9 1 	
	Unknown	#	#								

4. Patient Group	Adult/Adolescent Modified Exposure Categories **

Total

1003 100

-	Males	%	Females	%	Total	%	
Men sex with men (MSM)	360	47	0	0	360	36	
Injection drug user (IDU)	176	23	77	35	253	26	
MSM/IDU	40	5	0	0	40	4	
Heterosexual contact***	130	17	122	55	252	25	
Risk not reported/other***	60	8	24	11	84	8	
Total	766	100	223	100	989	100	

	Males	Pec %	diatric Modified Females	Exposure %	Categories Total	%
Parent at risk/has AIDS/HIV Risk not reported/other****	6 #	86 #	 6 #	 86 #	12	86 #
Total	7	100	 7	 100	14	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.
- ** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- $\mbox{\tt ****}$ Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Burlington County Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis			Case-Fatality Rate
Before 1985	7	7	100%
1985	14	12	86%
1986	13	12	92%
1987	37	35	95%
1988	39	33	85%
1989	51	41	80%
1990	55	44	80%
1991	68	53	78%
1992	117	73	62%
1993	61	34	56%
1994	65	34	52%
1995	67	31	46%
1996	51	19	37%
1997	56	12	21%
1998	40	7	18%
1999	43	9	21%
2000	34	7	21%
2001	39	#	#
2002	46	#	#
2003	41	6	15%
2004	31	#	#
2005	28	0	0%
Total	1003	476	47%